

Maryland & DC Breeding Bird Atlas 3 Safe Dates

Species	Abundance	Preferred Breeding Habitat	Jan I	Feb	Mar	4-1	1 4-5	5 4-10	0 4-1	54-	20 4	-25	5-1 5	-5 5	-10	5-15	5-20	5-25	5 6-1	6-5	6-1	.0 6-	15 (6-20	6-2	5	7-1	7-57	-10	7-15	7-20	7-25	8-1	8-5	8-10	8-15	8-	20 8-3	25	9-1	9-5 9	-10	9-15	9-20	Oct	No	ov Dec
Rock Pigeon	Common	cities, suburbs, farms, bridges	1-1											T												T																					12-31
Great Horned Owl Barred Owl	Common Common	most upland woodland types bottomlands, swamps, moist woods	1-15													-						-				-					_					8-15 8-15					+	+			-	+	12-15
House Sparrow	Common	cities, farms, parks, suburbs		2-1																				_						_										8-31		_	_	_			
Carolina Chickadee	Common	variety of woodland habitats, suburbs			3-1																																			8-31							
Tufted Titmouse Carolina Wren	Common Common	variety of woodland habitats, suburbs wood edges, thickets, near residences			3-1 3-1		_		-	_	_		-	-					-	-		_	-			-	-	_						<u> </u>			-	_	- 1	8-31					9-3	30	
Red-bellied Woodpecker	Common	variety of woodland habitats			3-15	5	-	-	-					+		-			-			+				+	-			-									1	8-31					9-3	50	
Downy Woodpecker	Common	variety of woodlands and edge habitats			3-15 3-15	5																																	8	8-31							
Hairy Woodpecker Pileated Woodpecker	Uncommon	deep woods, primarily deciduous					_	_	_	_	_	_	_	_	_	_			<u> </u>	<u> </u>	<u> </u>	_	_			+	_	_	_	_			<u> </u>				<u> </u>	_		8-31	_	_			<u> </u>	_	
Northern Cardinal	Uncommon Common	deep woods, some secondary growth edge, brush, parks, suburbs			3-15 3-15	5	-	+	-	-				+		-			+	<u> </u>		+				+	-			-			<u> </u>							8-31					9-3	30	
Brown-headed Nuthatch	Local	loblolly pines			3-20	וכ																														8-15											
Ruffed Grouse	Local Common	mixed upland woods				4-1		-	-	-	_	_	_	-	_				-	-		+	-			+	-						-	<u> </u>		8-15									9-3	30	
Eastern Screech-Owl Common Raven	Uncommon	open woods, orchards mountainous, remote regions				4-		-	+	-	_		+	+	-	-	-		+	<u>+</u>		+	+			+	+	_		-			7-31			0-13		_	-	-	_	-			<u> </u>	+	
European Starling	Common	open areas with trees nearby				4-1																											7-31														
Northern Mockingbird	Common	open country, hedgerows, suburbs				4-1	1	_		_	_					_						_				_													_		9	-10				_	
Red Crossbill Belted Kingfisher	Rare Uncommon	along streams or lakes with banks				4-1	1	4-10		-	-		-	+	-	-			-			+	-	_		+	-			-	7-20								2	8-31		-	-			+	
Horned Lark	Uncommon	most short-grass areas				1		4-10		<u> </u>			_	+		-			<u> </u>	i –		-	-			+	-	<u> </u>		_										1	9-5				1		
Northern Bobwhite	Uncommon	farmlands, near edge & hedgerows					_	_	4-1	5																												_							9-3		
Ring-necked Pheasant Wild Turkey	Local Uncommon	open country, pastures, fields mature deciduous forests, edges				+		-	4-1 4-1		-		-	+		-			+	-		-	+			+	-			-			-	-			-			-	-	-			9-3 9-3		
Mourning Dove	Common	suburbs, woodlots, farmland							4-1	5																					7-20																
American Woodcock	Uncommon	upland forest edges							4-1	5																														8-31							
Northern Goshawk Bald Eagle	Rare Local	large mature mixed woodlands tall trees near lakes, marshes, rivers				+	_	-	4-1		_		_	-	_				-	-		+	-			+	-							8-5					8	8-31	_	_				_	
Barn Owl	Uncommon	open country, near structures							4-1	5																								0-5											9-3	30	
Common Grackle	Common	suburbs, farmland							4-1	5																6	-30																				
Boat-tailed Grackle	Local	brushy, open woods, near salt water				-	_		4-1					_					-	-		_	_			_	_	_						<u> </u>					8	8-31	_	_			-	_	
Wood Duck Killdeer	Common Common	wooded swamps, marshes, streams most open, sparsely vegetated areas				+	_	-	-	4- 4-	20		-	+	_	-			-			+	-		6-2	5				_						8-15		_	_	-	_	_				-	
Yellow-crowned Night-Heron	Local	wooded habitats, usually near water								4-	20														0-2		-30																				
American Crow	Common	open areas, edges, farms, parks								4-																														8-31							
Swainson's Warbler Eastern Meadowlark	Rare	brushy, moist forest				-	_	_	-	4-	20	-25	_	_		_			-			_	_			_	_	_		_			<u> </u>				-	_	- 8	8-31	-	10				_	
Pine Warbler	Common Uncommon	hayfields, pastures variety of pine forests				+	-		-	-		-25	-	+	-	-			+	<u> </u>		-	+	_		+	+			-			<u> </u>	-	8-10						9	-10			-	+	
Mute Swan	Rare	shore or islands in any water body											5-1																											8-31							
King Rail	Local	fresh & brackish marshes				_	_	-		_	_		5-1	_	_	_			_	<u> </u>		_	_			_	_	_		_			<u> </u>				<u> </u>	_		8-31	_	_				_	
Clapper Rail Black Rail	Local	salt & brackish marshes brackish marshes				+	-		-	-	_	-	5-1 5-1	+		-			+	-		-	-			+	-			-				-		8-15			2	8-31	_	-					
Green Heron	Common	woods near marshes or open water											5-1																	7-15						0 10											
Black Vulture	Common	woods, cliffs, caves, buildings				_	_		_	_	_		-1	_	_				-	<u> </u>			_			_	_						7-31									_				-	
Long-eared Owl Short-eared Owl	Rare	evergreen forest				-	_	_	_	_	_		5-1						_	-			_			+	_		_	-			<u> </u>	<u> </u>			+	_	_	_	_	_			9-3		
																										_	_	_																			
Eastern Phoebe	Common	open pastureland, marshes, meadows near water, bridges, buildings											5-1 5-1																										8	8-31							
Eastern Phoebe Black-capped Chickadee	Common Local	near water, bridges, buildings variety of woodland habitats, suburbs											5-1 5-1										+				-													8-31				9-20			
Eastern Phoebe Black-capped Chickadee Eastern Bluebird	Common Local Common	near water, bridges, buildings variety of woodland habitats, suburbs wood edges, farmlands											5-1 5-1 5-1													+		+					7-31							8-31 8-31				9-20			
Eastern Phoebe Black-capped Chickadee Eastern Bluebird American Robin	Common Local Common Common	near water, bridges, buildings variety of woodland habitats, suburbs wood edges, farmlands everywhere, except very urban areas											5-1 5-1 5-1																	7-15			7-31											9-20			
Eastern Phoebe Black-capped Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow	Common Local Common Common Common Common	hear water, bridges, buildings variety of woodland habitats, suburbs wood edges, farmlands everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs											5-1 5-1 5-1 5-1 5-1 5-1																	7-15			7-31						8	8-31				9-20			
Eastern Phoebe Black-capped Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow	Common Local Common Common Common Common	hear water, briddes, buildings variety of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows											5-1 5-1 5-1 5-1 5-1 5-1 5-1																	7-15									8	8-31				9-20			
Eastern Phoebe Black-capped Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow	Common Local Common Common Common Common Common	Inear water, bridges, bulldings variety of woodland habitats, suburbs wood edges, farmlands everywhere, except very urban areas leverywhere, except very urban areas expecially everymens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marsh edges, suburbs											5-1 5-1 5-1 5-1 5-1 5-1 5-1 5-1 5-1 5-1																-10	7-15			7-31						8	8-31				9-20			
Eastern Phoebe Black-capped Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow	Common Local Common Common Common Common	hear water, briddes, buildings variety of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows											i-1															7	-10	7-15									8	8-31				9-20			
Eastern Phoebe Black-capeed Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Louisiana Waterthrush	Common Local Common Common Common Common Common Common Common Common	near water, bridges, buildings variety of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe dges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, slugish bactwaters											i-1															7	-10 -10 -10										8	8-31				9-20			
Eastern Phoebe Black-capeed Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Song Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Louisiana Waterthrush Yellow-throated Warbler	Common Local Common Common Common Common Common Common Common Common Uncommon	near water, bridges, buildings variety of woodland habitats, suburbs wood edges, farmlands everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe genords, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, slugish backwaters lobbily pines, sycamores											i-1 i-1	-5														7	-10 -10 -10	7-15									8	8-31	9	-10		9-20			
Eastern Phoebe Black-capeed Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Louisiana Waterthrush	Common Local Common Common Common Common Common Common Common Common	near water, bridges, buildings variety of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe dges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, slugish bactwaters											i-1 i-1		-10													7	-10 -10 -10										8	8-31	9	-10		9-20			
Eastern Phoebe Black-capped Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Song Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Louisiana Waterthrush Yellow-throaded Warbler Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will	Common Local Common Common Common Common Common Common Common Common Uncommon Rare Common Uncommon Uncommon	near water, bridges, buildings variety of woodland habitats, suburbs wood edges, farmlands everywhere, except very urban areas residential, especially everyreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marsh edges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, sluagish backwaters lobility pines, sycamores mixed, moist woods, with confers shore or islands in any water body dry open upland woods											i-1 i-1	5	-10					Image: Constraint of the second sec								7	-10 -10				7-31						8	8-31	9	-10		9-20			
Eastern Phoebe Black-capeed Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Louisiana Waterthrush Yellow-throated Warbler Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Night-Heron	Common Local Common Common Common Common Common Common Common Common Uncommon Rare Common Uncommon Local	near water, bridges, buildings variety of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe edges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, sluogish backwaters lobiolity pines, sycamores mixed, moist woods, with confiers shore or islands in any water body dry open upland woods											i-1 i-1	5	-10 -10											6	-30	7	-10 -10	7-15			7-31				8-	20	8	8-31	9	-10		9-20			
Eastern Phoebe Black-capeed Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Louisiana Waterthrush Vellow-throated Warbler Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Night-Heron Red-shouldered Hawk	Common Local Common Common Common Common Common Common Common Rare Common Rare Common Uncommon Uncommon Local Common	near water, bridges, buildings variety of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe edges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, sluogish backwaters biblioly pines, sycamores mixed, moist woods, with conifers shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, symaps											i-1 i-1	5555	-10 -10 -10 -10											6	-30	7	-10 -10	7-15			7-31				8-1	20		8-31	9	-10		9-20			
Eastern Phoebe Black-capeed Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Song Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Louisiana Watertrush Yellow-throated Warbler Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Niaht-Heron Red-shouldered Hawk Red-tailed Hawk	Common Local Common Common Common Common Common Common Common Common Common Uncommon Uncommon Uncommon Uncommon Common Common Common	near water, bridges, buildings voraiety of woodland habitats, suburbs vood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe gedges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, sludgish backwaters lobbily pines, sycamores mixed, moist woods, with conifers shore or islands in any water body dry open upland woods shurbs, resen art tidal water wet mixed forests, syamps mature forests, often near edges open woods, scattered trees, edges											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-10 -10 -10 -10 -10												-30	7	-10 -10	7-15			7-31							8-31	9			9-20			
Eastern Phoebe Black-capeed Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Song Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Lousiana Waterthrush Vellow-throated Warbler Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Night-Heron Red-shouldered Hawk Northern Fincker Loggenhead Shrike	Common Local Common Common Common Common Common Common Common Common Uncommon Bare Common Local Uncommon Local Common Rare Rare	near water, bridges, buildings variety of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe edges, suburbs marshes, ponds, meadows, havfelds everywhere, except urban areas rocky streams, sludgish backwaters lobioly pines, sycamores mixed, moist woods, with conifers shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, synamps mature forests, often near edges open woods, scattered trees, edges open country, hedgerows, cedars											i-1 i-1	555555555555555555555555555555555555555	-10 -10 -10 -10 -10					Image: Constraint of the second sec								7	-10 -10	7-15	7-20		7-31					20		8-31 8-31 8-31	9	-10		9-20			
Eastern Phoebe Black-capeed Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Song Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Louisiana Watertrush Yellow-throated Warbler Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Niaht-Heron Red-shouldered Hawk Red-tailed Hawk	Common Local Common Common Common Common Common Common Common Common Common Uncommon Uncommon Uncommon Uncommon Common Common Common	near water, bridges, buildings voraiety of woodland habitats, suburbs vood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe gedges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, sludgish backwaters lobbily pines, sycamores mixed, moist woods, with conifers shore or islands in any water body dry open upland woods shurbs, resen art tidal water wet mixed forests, syamps mature forests, often near edges open woods, scattered trees, edges											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5	-10 -10 -10 -10 -10													7	-10 -10	7-15	7-20		7-31			8-15	8-3	20		8-31	9			9-20			
Eastern Phoebe Black-capeed Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Louisiana Waterthrush Yellow-throated Warbler Yellow-throated Warbler Northerm Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Night-Heron Red-shouldered Hawk Northern Flicker Loggerhead Shrike Fish Crow	Common Local Common Common Common Common Common Common Common Uncommon Uncommon Uncommon Uncommon Local Common Rare Common Common Rare Common Common Common Common Common Common Common Common Common Common	near water, bridges, buildings variety of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe dges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, slugaish backwaters loboliy pines, sycamcres mixed, moist woods, with conflers shore or islandos in any water body dry open upland woods shubs, rest, often mar edges open woods, scattered trees, edges open country, hedgerows, cedars word edges, forms, tidewater areas variety of woodland habitats, suburbs											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-10 -10 -10 -10 -10 -10 -10 -10 -10													7	-10 -10	7-15	7-20		7-31			8-15	8-	20 8-:		8-31 8-31 8-31	9			9-20			
Eastern Phoebe Black-caped Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Louisiana Waterthrush Uotism Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Niaht-Heron Black-crowned Niaht-Heron Black-crowned Niaht-Heron Red-shoulderd Hawk Red-failed Hawk Northem Filcker Loggerhead Shrike Fish Crow	Common Local Common Common Common Common Common Common Common Common Uncommon Rare Common Local Common Local Common Rare Common Common Common Common Common Common Common	near water, bridges, buildings variety of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe dyes, suburbs brushy fields, marshe dyes, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, sludgish backwaters lobiolity pines, sycamores mixed, moist woods, with confers shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, soften near edges open woods, scattered trees, edges lopen country, hedgerows, cedars wood edges, farms, tidewater areas variety of woodland habitats, suburbs swamos, bottomlands high ground hear water, often woods											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-10 -10 -10 -10 -10 -10 -10 -10 -10	5-15											-30	7	-10 -10	7-15			7-31		9.42	8-15	8-3	20 8-:		8-31 8-31 8-31	9			9-20			
Eastern Phoebe Eastern Phoebe Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Louisiana Waterthrush Vellow-throated Warbler Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Night-Heron Red-shouldered Hawk Northern Filcker Loagenhead Snike Fish Crow White-breasted Nuthatch Prothonotary Warbler Mailard Chuck-willS-widow	Common Local Common Common Common Common Common Common Common Common Common Uncommon Uncommon Common Uncommon Common Common Common Common Common Common Common Common Common Common Common Common Common Common Uncommon Uncommon Common	near water, bridges, buildings voratev of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe edges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, sluogish backwaters lobiolity pines, sycamores mixed, molas woods, with conifers shore or islands in any water body dry open upland woods shubs, trees, often are edges open woods, scattered trees, edges open woods, scattered trees, edges variety of woodland habitats, suburbs swames, bottomlands high ground near water, often woods dry open upland woods											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-10 -10 -10 -10 -10 -10 -10 -10 -10	5-15												7	-10 -10	7-15			7-31		8-100 8-100	8-15	8-	20 8-:		8-31 8-31 8-31	9			9-20			
Eastern Phoebe Eastern Phoebe Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Louisiana Waterthrush Vellow-throated Warbler Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Night-Heron Red-shouldered Hawk Northern Filcker Loggenhead Snike Fish Crow White-preasted Nuthatch Prothonotary Warbler Mailard Chuck-will's-widow Chimey Swift	Common Local Common Common Common Common Common Common Common Common Uncommon Uncommon Local Common Uncommon Commo	near water, bridges, buildings voratev of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe edges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, sluogish backwaters lobiolity pines, sycamores mixed, molas, woods, with confers shore or islands in any water body dry open upland woods shubs, trees, often are edges open woods, scattered trees, edges open woods, scattered trees, edges variety of woodland habitats, suburbs swames, bottomlands high ground near water, often woods dry open upland woods primarity in towns open woods, dater, often woods dry open upland woods											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-10 -10 -10 -10 -10 -10 -10 -10 -10	5-15 5-15 5-15												7		7-15			7-31		8-100	8-15	8-	20 8-:		8-31 8-31 8-31	9			9-20			
Eastern Phoebe Black-capped Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Ked-winged Blackbird Brown-headed Cowbird Lousiana Waterthrush Vellow-throated Warbier Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Night-Heron Black-crowned Night-Heron Red-shouldered Hawk Red-tailed Hawk Chuck-will's-widow Chuck-will's-widow Chuimey Swift Ruby-throated Klitt Black-necked Stilt Black-necked Stilt	Common Local Common Common Common Common Common Common Common Common Uncommon Local Common Local Common Local Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Uncommon Common	near water, bridges, buildings vorater of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas farms, open mixed woods, suburbs brushy, weedv fields, hedgerows brushy fields, marsh edges, suburbs brushy fields, marsh edges, suburbs marshes, ponds, meadws, hayfields everywhere, except urban areas rocky streams, sluagish backwaters lobiolity pines, sycamores mixed, moist woods, with conifers shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, soften near edges open country, hedgerows, cedars wood edges, farms, tidewater areas varetv of woodland habitats, suburbs swamps, bottomlands hingh ground near water, often woods dry open upland woods popen upland woods paret wood woods partered trees, dges open and the area water, often woods dry open upland woods primarily in towns open woods, teveayae, often woods dry open upland woods primarily in towns											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-10 -10 -10 -10 -10 -10 -10 -10 -10 -10	5-15 5-15 5-15 5-15				Image: section of the sectio								7		7-15	7-20		7-31			8-15	8-	20 8-:		8-31 8-31 8-31	9			9-20			
Eastern Phoebe Eastern Phoebe Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Ked-winged Blackcibrid Brown-headed Cowbird Lousiana Waterthrush Urellow-throated Warbler Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Nicht-Heron Red-shouldered Hawk Northern Ficker Loggenhead Shrike Fish Crow White-breasted Nuthatch Prothonotary Warbler Mailard Churck-will's-widow Chimney Swift Ruby-throated Hummingbird Black-cnecked Stit American Oystercather	Common Local Common Common Common Common Common Common Common Common Common Uncommon Uncommon Local Common Local Common	near water, bridges, buildings varieto of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe dges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, sluagish backwaters lobiolity pines, sycamores mixed, moist woods, with conifers shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, swamps mature forests, often near edges open woods, scattered trees, edges open ounty, hedgerows, cedars wood edges, farms, tidewater areas varieto of woodland habitats, suburbs swamsb, bottomlands high ground near water, often woods dry open upland woods primarif in towns open woods, scattered trees, edges open woods, cattered trees, edges open ounty, hedgerows, cedars wood edges, farms, tidewater areas varieto of woodland habitats, suburbs swamsb, bottomlands high ground near water, often woods dry open upland woods primarif in towns open woodinds, edges edges of salt/sewage ponds, wetlands											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-10 -10 -10 -10 -10 -10 -10 -10 -10 -10	5-15 5-15 5-15 5-15 5-15			Image: second			Image: Amage:						7		7-15	7-20	7-25	7-31			8-15	8-	20 8-:		8-31 8-31 8-31	9			9-20			
Eastern Phoebe Eastern Phoebe Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Ked-winged Blackciord Brown-headed Cowbird Lousiana Waterthrush Ureliow-throated Warbler Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowed Night-Heron Red-shouldered Hawk Northern Ficker Loggenhead Shrike Fish Crow White-breasted Nuthatch Prothonotary Warbler Mailard Chuick-will's-widow Chimney Swift Ruby-throated Hummingbird Black-cnecked Sile American Oxstercatcher Fiping Plover	Common Local Common Common Common Common Common Common Common Common Uncommon Local Common Local Common Local Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Uncommon Common	near water, bridges, buildings vorater of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas farms, open mixed woods, suburbs brushy, weedv fields, hedgerows brushy fields, marsh edges, suburbs brushy fields, marsh edges, suburbs marshes, ponds, meadws, hayfields everywhere, except urban areas rocky streams, sluagish backwaters lobiolity pines, sycamores mixed, moist woods, with conifers shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, soften near edges open country, hedgerows, cedars wood edges, farms, tidewater areas varetv of woodland habitats, suburbs swamps, bottomlands hingh ground near water, often woods dry open upland woods popen upland woods paret wood woods partered trees, dges open and the area water, often woods dry open upland woods primarily in towns open woods, teveayae, often woods dry open upland woods primarily in towns											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-10 -10 -10 -10 -10 -10 -10 -10 -10 -10	5-15 5-15 5-15 5-15 5-15 5-15 5-15												7		7-15	7-20	7-25	7-31			8-15	8-	20 8-:		8-31 8-31 8-31	9			9-20			
Eastern Phoebe Eastern Phoebe Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Uousiana Waterthrush Vellow-throated Warbler Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowed Night-Heron Red-shouldered Hawk Northern Filcker Loggerhead Shrike Fish Crow White-breasted Nuthatch Prothonotary Warbler Mailard Chuck-will's-widow Chimney Swift American Oystercatcher Piping Plover Guil-billed Tern Forster's Tern	Common Common Common Common Common Common Common Common Common Uncommon Uncommon Uncommon Uncommon Common Rare Common Common Common Rare Common Commo	near water, bridges, buildings voratev of woodland habitats, suburbs vood edges, farmlands. evenywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe dges, suburbs marshes, ponds, meadows, hayfields evenywhere, except urban areas today streams, slugaish backwaters lobolar pines, sycannores mixed, moist woods, with conifers shore or islandosin, any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, swamps open woods, scattered trees, edges open country, hedgerows, cedars wood edges, forms, tidewater areas variety of woodland habitats, suburbs swamps, bottomlands high ground near water, often woods dry open upland woods primarily in towns open woodlands, edges edges of sait/serwage ponds, wetlands sandy ocean baches.											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-10 -10 -10 -10 -10 -10 -10 -10 -10 -10	5-15 5-15 5-15 5-15 5-15 5-15						Image: Section of the sectio			6-22					7-15	7-20	7-25	7-31			8-15	8-	20 8-:		8-31 8-31 8-31	9			9-20			
Eastern Phoebe Elack-capeed Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Song Sparrow Red-winged Blackchird Brown-headed Cowbird Lousiana Waterthrush Vellow-throated Warbler Northen Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Night-Heron Red-shouldered Hawk Northern Ficker Loggenhead Shrike Fish Crow White-breasted Nuthatch Prothonotary Warbler Mailard Chuck-will's-widow Chinney Swift Ruby-throated Humingbird Black-necked Shi Raherica Shi	Common Local Common Common Common Common Common Common Common Common Uncommon Uncommon Local Common Uncommon Local Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Uncommon Uncommon Uncommon Common Local Local Local Local Local Local Local	near water, bridges, buildings voratev of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe dges, suburbs brushy, needy fields, hedgerows brushy fields, marshe dges, suburbs imarshes, ponds, meadows, havfields everywhere, except urban areas rocky streams, sluagish backwaters bobbil pines, sycamores mixed, moist woods, with conifers shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, swamps mature forests, often near edges open woods, scattered trees, edges open woods, scattered trees, edges open outyn, hedgerows, cedars wood edges, farms, tidewater areas variet of woodland habitats, suburbs swamps, bottomlands high ground near water, often woods primarily in towns open woodlands, edges edges of sait/sevae ponds, wetlands sandy ocean beaches shores beaches beaches, costal islands sait marshes											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-10 -10 -10 -10 -10 -10 -10 -10 -10 -10	5-15 5-15 5-15 5-15 5-15 5-15 5-15 5-15									6-2					7-15	7-20	7-25	7-31			8-15	8-	20		8-31 8-31 8-31	9			9-20			
Eastern Phoebe Eastern Phoebe Eastern Phoebe Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Louisiana Waterthrush Vellow-throated Warbler Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowed Night-Heron Red-shouldered Hawk Northern Filcker Loagenhead Strike Fish Crow Winte-breasted Nuthatch Prothonotary Warbler Halard Chuck-will's-widow Chimney Swift American Quster-thero Piping Plover Coul-Statile-Stem Piping Plover Fish Crow Chimney Swift American Oysteratcher Piping Plover Figh Grow Chimney Swift Chuck-will-Swidow Chimney Swift Dudy-throated Hummingbird Black-recked Stilt American Oysteratcher Piping Plover Gall-billed Tem Graet Blue Heron Turkey Vulture	Common Local Common Common Common Common Common Common Common Common Uncommon Uncommon Local Common Uncommon Local Common Local Local Local Local Local	near water, bridges, buildings voratev of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe dges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, sluogish backwaters lobiolity pines, sycamores mixed, molst woods, with conferes shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, swamps mature forests, often near edges open woods, scattered trees, edges open woods, scattered trees, edges variety of woodland habitats, suburbs swamps, bottomilands high ground near water, often woods dry open upland woods primarily in towns open woodland, edges, edges of salt/sewage ponds, wetlands sandy ocean beaches, fresh spoil sandy ocean beaches, fresh spoil salt marshes											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		5-15 5-15 5-15 5-15 5-15 5-15 5-15 5-15						Image: Constraint of the sector of			6-2					7-15	7-20	7-25	7-31			8-15	8-	20		8-31 8-31 8-31	9			9-20			
Eastern Phoebe Eastern Phoebe Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Red-winged Blackchird Brown-headed Cowbird Louisiana Waterthrush Vellow-throated Warbler Northern Sarw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Night-Heron Red-shouldered Hawk Northern Filcker Loggenhead Shrike Fish Crow White-preasted Nuthatch Prothonotary Warbler Mailard Chuck-will's-widow Chimey Swift American Qvsteratcher Piping Plover Guil-balled Tern Forster's Tern Great Blue Heron Turkey Vulture American Kestrel Brown Creeper	Common Local Common Common Common Common Common Common Common Common Uncommon Uncommon Local Common Uncommon Commo	near water, bridges, buildings voratev of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe dges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rockv streams, sluogish backwaters lobiolity pines, sycamores mixed, moist woods, with conferes shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, swamps mature forests, often near edges open woods, scattered trees, edges open woods, scattered trees, edges wood edges, farms, tidewater areas wood edges, farms, tidewater areas wood edges, farms, tidewater areas avariety of woodland habitats, suburbs swamps, bottomlands primarily in towns open woodinds, edges edges of salt/sewage ponds, wetlands salty ocean beaches beaches. coestal islands salt marshes woods, diffs, caves, buildings open country, scattered trees, edge deep woods, longed moods salt marshes						Image: second					i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		5-15 5-15 5-15 5-15 5-15 5-15 5-15 5-15						Image: Section of the sectio			6-22					7-15	7-20	7-25	7-31			8-15	8-	20		8-31 8-31 8-31	9			9-20			
Eastern Phoebe Black-capeed Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Ked-winged Blackbird Brown-headed Cowbird Louisiana Waterthrush Vellow-throated Warbler Northem Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-covened Night-Heron Black-Acteder Hawk Red-tailed Hawk Re	Common Local Common Common Common Common Common Common Common Common Uncommon Local Common Local Common Rare Common Local Common Common Common Common Common Common Local Common Local Local Local Local Local Local Local Local Local Local Local Local Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Common Local Local Local Local Local Local Local Common Commo	near water, bridges, buildings vorater of woodland habitats, suburbs vood edges, farmlands. everywhere, except very urban areas farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe diges, suburbs brushy fields, marshe diges, suburbs brushy fields, marshe diges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, slugish backwaters lobiolity pines, sycamores mixed, moist woods, with conifers shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, soften near edges open country, hedgerows, cedars wood edges, farms, tidewater areas vood edges, fares, often woods dry open upland woods pirmariky in towns open woodlands, edges edges of saltyewage ponds, wetlands sandy ocean baches, fresh spoil sandy ocean baches, fresh spoil sandy ocean baches, fresh spoil salt marshes woods, joudet woods woods, floded woods woods, floded woods woods, floded woods woods, cliffs, caves, buildings voods, floded woods											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		5-15 5-15 5-15 5-15 5-15 5-15 5-15 5-15			Image: section of the sectio			Image: Constraint of the sector of			6-22					7-15	7-20	7-25	7-31			8-15	8-	20		8-31 8-31 8-31 8-31 8-31	9			9-20			
Eastern Phoebe Eastern Phoebe Black-capee Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Red-winged Blackbird Brown-headed Cowbird Louisiana Waterthrush Vellow-throated Warbler Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowed Night-Heron Red-shouldered Hawk Northern Ficker Loggenhead Shrike Fish Crow White-breasted Nuthatch Prothonotary Warbler Mailard Chuck-will's-widow Chimney Swift Chuck-will's-widow Chimney Swift American Oxstercather Piping Plover Guil-billed Tern Forste's Tern Great Blue Heron Turkey Vulture American Kestrel Brown Creeper Blue-gray Gnatacther Blue-gray Gnata	Common Local Common Common Common Common Common Common Common Common Uncommon Uncommon Local Common Uncommon Commo	near water, bridges, buildings voratev of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe dades, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, sluogish backwaters lobiolity pines, sycamores mixed, moist woods, with conifers shrubs, rees near tidal water wet mixed forests, swamps of the stress, often near edges open woods, scattered trees, edges open woods, scattered trees, edges open woods, scattered trees, edges wood edges, farms, tidewater areas variet of woodland habitats, suburbs swamps, bottomlands high ground near water, often woods dry open upland woods primarif in towns open woodinds, edges edges of salt/sewage ponds, wetlands sandy ocean beaches. beaches, coastal islands iasit marshes wooded siters, shrubs, hedgerows											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		5-15 5-15 5-15 5-15 5-15 5-15 5-15 5-15			Image: second			Image: Section of the sectio			6-2					7-15	7-20	7-25	7-31			8-15	8-	20		8-31 8-31 8-31 8-31 8-31	9			9-20			
Eastern Phoebe Black-capped Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Ked-winged Blackbird Brown-headed Cowbird Louisiana Waterthrush Vellow-throated Warbler Northen Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Niaht-Heron Black-Acteder Hawk Red-failed Hawk Re	Common Local Common Common Common Common Common Common Common Common Common Uncommon Uncommon Local Common Uncommon Common Uncommon Com	near water, bridges, buildings vorater of woodland habitats, suburbs vood edges, farmlands. everywhere, except very urban areas farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe diges, suburbs brushy fields, marshe diges, suburbs brushy fields, marshe diges, suburbs marshes, ponds, meadows, hayfields everywhere, except urban areas rocky streams, slugish backwaters lobiolity pines, sycamores mixed, moist woods, with conifers shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, soften near edges open country, hedgerows, cedars wood edges, farms, tidewater areas vood edges, fares, often woods dry open upland woods pirmariky in towns open woodlands, edges edges of saltyewage ponds, wetlands sandy ocean baches, fresh spoil sandy ocean baches, fresh spoil sandy ocean baches, fresh spoil salt marshes woods, joudet woods woods, floded woods woods, floded woods woods, floded woods woods, cliffs, caves, buildings voods, floded woods											i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		5-15 5-15 5-15 5-15 5-15 5-15 5-15 5-15						Image: Section of the sectio			6-2!					7-15	7-20	7-25	7-31 7-31			8-15	8-	20		8-31 8-31 8-31 8-31 8-31	9			9-20			
Eastern Phoebe Black-capeed Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Ked-winged Blackbird Brown-headed Cowbird Lousiana Waterthrush Vellow-throated Warbier Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Night-Heron Black-area and Shrike Fish Crow White-breasted Nuthatch Prothonotary Warbier Mailard Chuck-will's-widow Chimney Swfth Ruby-throated Stitt American Oxsteratcher Bipon Plover Guil-billed Tem Great Blue Heron Turkey Vulture American Kestrel Brown Creeper Bibu-gray Gnatcatcher Brown Thrasher Vesper Sparrow Henslow's Sparrow	Common Local Common Common Common Common Common Common Common Common Uncommon Local Common Local Common Local Common Common Common Local Common Common Common Local Common Common Local Common Common Common Local Uncommon Common Local L	near water, bridges, buildings vorater of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marsh edges, suburbs marshes, ponds, meadws, hayfields everywhere, except urban areas rocky streams, slugish backwaters lobibly pines, sycamores mixed, moist woods, with conifers shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, soften near edges open country, hedgerows, cedars wood edges, farms, tidewater areas vareity of woodland habitats, suburbs swams, bottomiands ingh ground near water, often woods dry open upland woods por movds, scattered trees, edges open country, hedgerows, cedars wood edges, farms, tidewater areas vareity of woodland habitats, suburbs swams, bottomiands ingh ground near water, often woods dry open upland woods sandy ocean beaches, fresh spoil sandy ocean beaches beaches, coastal islands sait marshes woods dis near streams derse thickets, shrubs, hedgerows short grass areas, cultivated fields weedy fields, wet meadows extensive decidous or mixed woods						Image: second	Image: second				i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		5-15 5-15 5-15 5-15 5-15 5-15 5-15 5-15			Image: section of the sectio	Image: section of the sectio		Image: Section of the sectio	- - - -		6-2					7-15	7-20	7-25	7-31 7-31			8-15	8-1	20 8-: 20 20 20 20 20		8-31 8-31 8-31 8-31 8-31 8-31 8-31 8-31	9			9-20			
Eastern Phoebe Eastern Phoebe Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Song Sparrow Chimed Black-caped Advector Brown-headed Cowbird Lousiana Waterthrush Urellow-throated Warbler Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowed Night-Heron Red-shouldered Hawk Northern Ficker Loggenhead Shrike Fish Crow White-breasted Nuthatch Prothonotary Warbler Mailard Chuck-will's-widow Chimney Swift Chuck-will's-widow Chimney Swift Chuck-will's-widow Chimney Swift Gali-Abled Tem Forster's Tem Great Blue Heron Turkey Vulture American Oxsteratcher Brown Creeper Blue-gray Gnatcatcher Brown Creeper Blue-gray Gnatcatcher Brown Tirasher Vesper Sparrow Black-and-white Warbler	Common Local Common Uncommon Common Uncommon Uncommon Common Comm	near water, bridges, buildings voratev of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marshe dgees, suburbs marshes, ponds, meadows, hayfelds everywhere, except urban areas rocky streams, sluagish backwaters lobiolity pines, sycamores mixed, moist woods, with conifers shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, swamps mature forests, often near edges open woods, scattered trees, edges open woods, scattered trees, edges open woods, scattered trees, edges open woods, scattered trees, edges dry open upland woods dry open outry, scattered trees, edge deep woods, flooded woods wooded avamps, beaver ponds, islands sait marshes wooded woods hold ras areas, cultivated fields weedy fields, wet meadows extensive deciduous or mixed woods							Image: second				i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		5-15 5-15 5-15 5-15 5-15 5-15 5-15 5-15			Image: section of the sectio			Image: Constraint of the sector of			6-2:					7-15	7-20	7-25	7-31 7-31			8-15	8-	20 8-: 20 20 20 20 20		8-31 8-31 8-31 8-31 8-31 8-31 8-31 8-31				9-20			
Eastern Phoebe Black-capeed Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Ked-winged Blackbird Brown-headed Cowbird Lousiana Waterthrush Vellow-throated Warbier Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Night-Heron Black-area and Shrike Fish Crow White-breasted Nuthatch Prothonotary Warbier Mailard Chuck-will's-widow Chimney Swfth Ruby-throated Stitt American Oxsteratcher Bipon Plover Guil-billed Tem Great Blue Heron Turkey Vulture American Kestrel Brown Creeper Bibu-gray Gnatcatcher Brown Thrasher Vesper Sparrow Henslow's Sparrow	Common Local Common Common Common Common Common Common Common Common Uncommon Local Common Local Common Local Common Common Common Local Common Common Common Local Common Common Local Common Common Common Local Uncommon Common Local L	near water, bridges, buildings vorater of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marsh edges, suburbs marshes, ponds, meadws, hayfields everywhere, except urban areas rocky streams, slugish backwaters lobibly pines, sycamores mixed, moist woods, with conifers shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, soften near edges open country, hedgerows, cedars wood edges, farms, tidewater areas vareity of woodland habitats, suburbs swams, bottomiands ingh ground near water, often woods dry open upland woods por movds, scattered trees, edges open country, hedgerows, cedars wood edges, farms, tidewater areas vareity of woodland habitats, suburbs swams, bottomiands ingh ground near water, often woods dry open upland woods sandy ocean beaches, fresh spoil sandy ocean beaches beaches, coastal islands sait marshes woods dis near streams derse thickets, shrubs, hedgerows short grass areas, cultivated fields weedy fields, wet meadows extensive decidous or mixed woods							Image: second				i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		5-15 5-15 5-15 5-15 5-15 5-15 5-15 5-15	5-20 5-20					Image: Section of the sectio	- -		6-2					7-15	7-20	7-25	7-31 7-31			8-15	8-1	20 8-: 20 20 20 20 20		8-31 8-31 8-31 8-31 8-31 8-31 8-31 8-31				9-20			
Eastern Phoebe Black-capeed Chickadee Eastern Bluebird American Robin House Finch Chipping Sparrow Field Sparrow Song Sparrow Ked-winged Blackbird Brown-headed Cowbird Lousiana Waterthrush Vellow-throated Warbier Northern Saw-whet Owl Canada Goose Eastern Whip-poor-will Black-crowned Night-Heron Black-area and Shrike Fish Crow White-breasted Nuthatch Prothonotary Warbier Mailard Chuck-will's-widow Chimney Swfth Ruby-throated Stitt American Oxsteratcher Brown Casere Black-area Stare American Stares Black-area Black-area Black-necked Stitt American Costeret Brown Trasher Vesper Sparrow Henslow's Sparrow Henslow's Sparrow Henslow's Sparrow Henslow's Sparrow Henslow's Sparrow Henslow's Sparrow	Common Local Common Common Common Common Common Common Common Common Uncommon Local Common Local Common Common Local Common Common Local Common Common Local Common Common Local Common	near water, bridges, buildings vorater of woodland habitats, suburbs wood edges, farmlands. everywhere, except very urban areas residential, especially evergreens farms, open mixed woods, suburbs brushy, weedy fields, hedgerows brushy fields, marsh edges, suburbs brushy, meds, marsh edges, suburbs brushy, meds, marsh edges, suburbs brushy, meds, marsh edges, suburbs brushy, meds, sudaish backwaters iobiolity pines, sycamores mixed, moist woods, with conifers shore or islands in any water body dry open upland woods shrubs, trees near tidal water wet mixed forests, soften near edges open country, hedgerows, cedars wood edges, farms, tidewater areas vareity of woodland habitats, suburbs swams, bottomiands ingh ground mear water, often woods dry open upland woods por marks, casterred trees, edges open country, hedgerows, cedars wood edges, farms, tidewater areas vareity of woodland habitats, suburbs swams, bottomiands is and woods primariky in towns open woods, rear water, often woods and woods pland woods sandy ocean beaches, fresh spoil sandy ocean beaches beaches, coastal islands satt marshes woods dis near streams derse thickets, shrubs, hedgerows short grass areas, cultivated fields weedy fields, wet meadows extensive decidous or mixed woods high round near water, often woods high round near water.						Image: second	Image: second				i-1 i-1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		5-15 5	5-20		Image: state of the s	Image: section of the sectio	Image: section of the sectio	Image: Section of the sectio			6-2!					7-15	7-20	7-25	7-31 7-31				8-1	20 8-: 20 20 20 20 20		8-31 8-31 8-31 8-31 8-31 8-31 8-31 8-31	9			9-20			



Maryland & DC Breeding Bird Atlas 3 Safe Dates

O	• In	Destand Desadless Habitat					25 5 4			25 6 4	656	10 0 15 0	20 6 2			7 20	7 25 0		0 0 45	0.20	0.05			0.45	20 0.4	N	
Species Pied-billed Grebe	Abundance Rare	Preferred Breeding Habitat Ja marshy or weedy ponds	an Feb Mar	4-1 4-	5 4-10 4-1	5 4-20 4	-25 5-1	3-5 5-10 5-1	5-20 5 5-20	-25 6-1	6-5 6	-10 6-15 6	-20 6-2	7-17	7-5 7-10 7-15 7-10	7-20	7-25 8	1 8-5 8-1	0 8-15	8-20	5-25	9-1 9-5	9-10	9-15 9-	20 Oct	Nov Dec	-
Virginia Rail		fresh & brackish marshes							5-20						7-10				8-15				++	-+	+	+	
Common Gallinule	Local	marshes with open water							5-20										0-15		8	-31	+	-+	+-	+	
Upland Sandpiper	Rare	open grasslands & meadows		+ +	+ +	+ +	- + +	- - 	5-20	_		- + +	6-2					+ +	<u> </u>				+-+	<u> </u>	+-	+	-1
Least Bittern	Uncommon	fresh & brackish water marshes							5-20					4			7-3	1			-		+	-+	+	+	
Great Egret	Local	shrubs, trees near tidal water							5-20			6	-20										+ +				
Snowy Egret	Local	shrubs, trees near tidal water							5-20					6-30													
Little Blue Heron	Local	shrubs, trees near tidal water							5-20			6	-20														
Tricolored Heron	Local	shrubs, trees near tidal water							5-20					6-30									T				
Cattle Egret	Local	shrubs, trees near tidal water							5-20			6	-20														
White Ibis		shrubs, trees near tidal water							5-20	_		6-15			_												/
Northern Harrier	Rare	marshes, wet pastures & meadows				_			5-20								7-25					_	+	\rightarrow	\rightarrow		/
Cooper's Hawk	Uncommon	mixed woodlands, groves							5-20								7-3	1					┶┷┽	<u> </u>	_	<u>+</u>	!
Yellow-bellied Sapsucker	Rare	moist woods, swamps, bogs							5-20										0.45		8	31	+	\rightarrow	—	+	
Peregrine Falcon	Local	cliffs, buildings, bridges							5-20	_		_							8-15				0.40	-+	+	+	
Golden-crowned Kinglet House Wren	Local Common	northern coniferous forests open woods, dead trees, suburbs							5-20	_		_							0.15				9-10	-+	+	+	
Winter Wren	Uncommon	moist woods with hemlocks				-			5-20 5-20										8-15		8	-31	++			+	
Pine Siskin	Rare	northern conifers		+ +	+ +	+ +			5-20	_	=	+++		+ +	++	+ +		+ + -	+			-31	++	\rightarrow	+-	+	_
Eastern Towhee	Common	dry open woodlands, edges, brush							5-20													-31	++	-+	+	+	
Ovenbird	Common	open, mature, mixed upland forest							5-20									8-5			Ŭ	51	++			+ +	
Worm-eating Warbler	Uncommon	deep deciduous woods							5-20							7-20											
Least Tern	Local	beaches, coastal islands, spoil areas								-25				7	7-5												_!
Royal Tern	Local	beaches, coastal islands, spoil areas							5	-25				7	7-5												
Black Skimmer	Local	beaches, coastal islands							5	-25				7	7-5												
Red-headed Woodpecker	Local	open country with scattered trees							5	-25										8-20							
Acadian Flycatcher	Common	moist woods, bottomlands							5	-25								8-5					+				
Great Crested Flycatcher	Common	variety of woodland habitats							5	-25							7-3	1									
Eastern Kingbird	Common	open areas, edges, often near water							5	-25				7	7-5								+			+ $-$	$ \square $
White-eyed Vireo	Common	brushy areas, often near water		+	+	+ $+$			5	-25									8-15	\vdash		_	+	\rightarrow	\rightarrow	+	$ \dashv $
Yellow-throated Vireo	Uncommon	tall deciduous trees				+ +				-25									8-15			0.				+	-
Blue Jay N. Rough-winged Swallow	Common	variety of woodland habitats, suburbs		+ +	+ +	+ $+$			5	-25 -25		6	-20									9-5	4	-+		+ $+$	-+
N. Rough-winged Swallow	Uncommon	near water with steep banks		+	+ +	+ +	++			-25						+		+ +	+	++		_	+ +	\rightarrow	+-	+	=
Tree Swallow Barn Swallow	Uncommon Common	open country near water open country near buildings, bridges		+	+ $+$	+ $+$				-25			6-2					+ + -	+	+			++			+	-+
Marsh Wren	Uncommon	cattail and other tall marshes							5	-25			0-2								8-25		+	-+	+-	+	
Gray Catbird	Common	dense thickets, shrubs, hedgerows							5	-25											8	-31	+				
Hermit Thrush	Local	damp forests with hemlocks							5	-25														9-15			
Wood Thrush	Common	variety of woodland habitats							5	-25										8-20			T				
Grasshopper Sparrow	Common	hayfields, grassy pastures							5	-25 -25 -25											8	-31					
Yellow-breasted Chat	Common	brushy fields, thickets, wood edges																8-5									\square
Golden-winged Warbler	Rare	damp, brushy fields, wood edges							5	-25						7-20						_	+	\rightarrow			/
Blue-winged Warbler		brushy fields, wood edges								-25						7-20							╧╧╧		_	<u>+</u>	
Nashville Warbler	Rare	swamp and bog areas								-25									8-15			_	+				/
Kentucky Warbler	Uncommon	moist deciduous woods, understory							5	-25		_			7-15				0				++	-+	+-	+	
Common Yellowthroat Hooded Warbler	Common Uncommon	brushy areas, preferably wet moist forests with dense understory			+ +	+ +			5	-25 -25			-	+ +			7-25	8-1	.0			_	++	-+		+	
Cerulean Warbler	Uncommon	mature moist or riverside forests								-25							7-25	8-5					++	-+	+	+	
Prairie Warbler	Common	brushy fields, edges, small pines				1				-25			_	† †		7-20			1				++	-+	+-	<u>+</u> +	
Scarlet Tanager	Common	mature deciduous forests							5	-25								8-1	0				+ +				
Indigo Bunting	Common	edges, open forests, brush areas								-25									8-15								
Green-winged Teal	Rare	high ground near water								6-1				6-30													
Eurasian Collared-Dove	Rare	cities, suburbs, farms								6-1							7-3	1									/
Sora	Local	fresh marshes, wet meadows								6-1							7-3	1									
Wilson's Snipe	Rare	marshy edges of ponds, streams								6-1					7-15				_				++			+	
Brown Pelican		shrubby marsh island								6-1					7.40		7-3	1	-			_	+	-+	+-	+	/ !
American Bittern	Rare Local	tall marshes, wet fields shrubs, trees near tidal water								6-1 6-1				6-30	7-10								++			+	
Glossy Ibis Osprey	Common	marshes, tidal water, channel markers	- 	++	++	+ +	++	- 	+ +	6-1				0.50					8-15	<u>⊢</u> +		_	++	\rightarrow	+-	++	-
Sharp-shinned Hawk	Uncommon	conifers in extensive woodlands			+ $+$	+ +				6-1	+						7-3	1	3-13				++	-+	+	+ $+$	-1
Monk Parakeet	Rare	urban, suburban, city parks								6-1							7-3						+				
Eastern Wood-Pewee	Common	variety of woodland habitats								6-1									8-15								
Blue-headed Vireo	Local	coniferous or mixed woodlands								6-1										8-20							
Warbling Vireo	Uncommon	open deciduous or riverside woods								6-1								8-1	0				+				
Red-eyed Vireo	Common	variety of woodland habitats		+	+	+ $+$				6-1			-				7-3	1	-	\vdash		_	+	\rightarrow	\rightarrow	+	\dashv
Purple Martin	Common	open country, colonial		+ $+$	+ $+$	+ $+$				6-1			6-2	<u> </u>				+ $+$		+			+	-+	\rightarrow	+ +	\dashv
Bank Swallow Cliff Swallow	Uncommon Local	near water with steep banks, colonial open country near buildings, bridges		+ +	+ +	+ +				6-1 6-1		- 6	-20 6-2					+ $+$	+	+		_	++	-+	+-	+	-
	Local	coniferous or mixed woods		+ +	+ +	+ +	++		+ +	6-1			0-2:			7-20		+ +	+	+ +			++	\rightarrow	+	+	-
Red-breasted Nuthatch Purple Finch		mixed woods, parklands, residential		+	+ $+$	+ $+$				6-1						7-20		8-1	0	\vdash			+	-+	+-	+ $+$	\neg
Clay-colored Sparrow	Rare	scrubby open areas								6-1							7-3		-				+-+			+ +	-1
Dark-eyed Junco	Local	edges of northern mixed woods								6-1							7-3										
Seaside Sparrow	Local	salt marshes								6-1								8-1	0				1				
Saltmarsh Sparrow	Local	salt marshes								6-1								8-1	0								
Swamp Sparrow	Local	marshes, wet brushy areas, bogs								6-1							7-3	1					+				
Orchard Oriole	Common	edges, hedgerows, scattered trees		+	+ $+$	+ $+$	-+			6-1				1 7	7-5			+ $+$		\vdash			+	-+		+ $+$	\dashv
Baltimore Oriole	Common	shade trees, open deciduous woods		+ $+$	+ $+$	+ $+$			+ +	6-1							7-25		0.1-	\vdash			+	-+		+ +	-+
Northern Parula	Common	moist woods, bottomlands, spruces		++	+ +	++			+ +				_	+ +	7.10		-		8-15	\vdash		_	++	\rightarrow	\rightarrow	+	-
Yellow Warbler Chostnut cided Warbler	Common Local	wet brushy areas, farmlands		+	+	+ $+$			+ +	6-1 6-1					7-10				0	\vdash		_	++	-+	+-	+ $+$	-+
Chestnut-sided Warbler Yellow-rumped Warbler	Uncommon	brushy, second-growth, edges mature conifer or mixed forests		+						6-1								8-1		8-20			++	-+	+-	+ $+$	\neg
Blue-winged Teal	Rare	high ground near water			+	+ $+$					6-5				7-5					0 20			+			+	-
Common Nighthawk	Uncommon	barren country and flat roofs									6-5				7-15								+ +			+ +	
Laughing Gull	Local	salt marshes					1				6-5				7-10	i	İ				i	1		<u> </u>	<u> </u>	T	
Herring Gull	Local	beaches, coastal islands, spoil areas									6-5				7-10												
Great Black-backed Gull	Local	beaches, coastal islands, spoil areas									6-5				7-10												
Common Tern	Local	beaches, coastal islands, spoil areas		+	+ $+$	+ $+$					6-5			6-30				+ $+$ $-$	_	\vdash			+	-+	\rightarrow	+ $+$	$ \square $
	Local	wood edges, open deciduous woods				+ $+$	+				6-5					7-20										+	
Least Flycatcher																											
Savannah Sparrow	Local	hayfields, wet meadows, pastures									6-5		_	1				8-1	0				+		_		
	Local Uncommon	hayfields, wet meadows, pastures fields, meadows, pastures swamps and bogs, pond edges									6-5 6-5 6-5			6-30	7-15			8-1	0				\pm	\pm	—	\pm	



Maryland & DC Breeding Bird Atlas 3 Safe Dates

Species	Abundance	Preferred Breeding Habitat	Jan Feb	Mar	4-1 4	-5 4-10	4-15 4	-20 4	1-25 5-	1 5-	5 5-1	10 5-15	5-20	5-25 6	-1 6-5	6-10	0 6-15	6-20 6	6-25	7-1 7-	5 7-10 7	-15 7-20	7-25	8-1	8-5 8-3	10 8-1	5 8-20	8-25	9-1	9-5	9-10 9-1	5 9-20	Oct	Nov	Dec
Black-throated Blue Warbler	Local	mixed woods with heavy understory													6-5										8-5										
Summer Tanager	Local	mixed dry upland woods													6-5	5									8-:	10						'			
Blue Grosbeak	Uncommon	thickets, hedgerows & edges													6-5										8-:										
Dickcissel	Uncommon	open country, especially alfalfa													6-5										8-:	10						\pm			
Ruddy Duck	Rare	dense marshes with open water									Т					6-10												8-25				'			
American Coot	Rare	marshes with open water														6-10												8-25							
Spotted Sandpiper	Local	beaches or rocky streams														6-10	0		6	-30												'			
Willet	Local	salt marshes														6-10	0			7-1												T			
Double-crested Cormorant	Local	treed islands									Т					6-10			6	-30															
Mississippi Kite	Rare	riparian forests with nearby open areas														6-10								7-31								\Box			
Alder Flycatcher	Local	wet brushy areas, prefers alders														6-10						7-20													
Willow Flycatcher	Common	wet to fairly dry brushy areas														6-10	0					7-20													
Sedge Wren	Rare	wet meadows, marshes														6-10	0												8-31						
Veery	Uncommon	moist mixed woods														6-10	0								8-:	10						Τ.			
White-throated Sparrow	Rare	brushy openings														6-10								7-31								T_'			
American Redstart	Uncommon	moist, deciduous forest														6-10						7-20										- ·			
Magnolia Warbler	Uncommon	northern coniferous forests														6-10	0								8-5										
Blackburnian Warbler	Uncommon	northern coniferous or mixed woods														6-10								7-31								T			
Black-throated Green Warbler	Local	northern coniferous or mixed woods														6-10	0								8-5										
Canada Warbler	Uncommon	thick, moist forest undergrowth														6-10					7	-15										'			
Yellow-billed Cuckoo	Common	variety of forest habitats, edges															6-15							7-31								\Box			
Broad-winged Hawk	Uncommon	hilly woodlands															6-15								8-:	10						'			
Cedar Waxwing	Uncommon	open woodland, shade trees, streams														1	6-15							7-31								T			
American Goldfinch	Common	brushy fields, edges, hedgerows															6-15												8-31						
Mourning Warbler	Rare	brushy areas in woodlands or edges									Т						6-15							7-31								\Box			
Rose-breasted Grosbeak	Local	edges of moist deciduous woods															6-15								8-:	10									
Black-billed Cuckoo	Rare	variety of forest habitats, edges																6-20				7-20										'			
Purple Gallinule	Rare	shrubby swamps																6-20						7-31										\square	