

Species	Abundance	Preferred Breeding Habitat	Jan	Fob M:	or 4	L-1 A-1	0 4-15	4-20 4	.25 5.	1 5-5 5-10	0 5-15	5-20	5-25	6-1 6-5	6-10	6-15 6-20	6-25	7-1 7	-5 7-1	0 7-15	7-20	7-25	R_1 R_	5 8-10 8-15	8-20	8-25	9-1 9-5 9-10	0.15	9-20	Oct Nov	Dec
Rock Pigeon	Common	cities, suburbs, farms, bridges	1-1	TCD M				7 20 4	<u> </u>	7 3 3 1	J 13	J 20	J 23	0 1 0 3	0.10	0-20	* 23		J / 1	7 7 13	7-20	7 23	0 1 0-3	0 10 0 13	0 20	0-23	71 73 910	7.13	J-20	Sec Nov	12-31
Northern Bobwhite	Uncommon	farmlands, near edge & hedgerows					4-15																							9-30	12 31
Ring-necked Pheasant	Local	open country, pastures, fields				_	4-15	_	_						+		_		_		$\overline{}$	_								9-30	_
Ruffed Grouse	Local	mixed upland woods				-1	7 15		_						+						-				1					9-30	
Wild Turkey	Uncommon	mature deciduous forests, edges				-	4-15		_						1					+					1					9-30	
Barn Owl	Uncommon	open country, near structures		<del></del>	_	+	4-15	_	_		+	<del>                                     </del>		_	+		_	_	_	+	$\overline{}$	_		+ + -	+			_		9-30	+
					-	+	4-13		5-	1	+				+	-	_		_	+	$\rightarrow$	_			+					9-30	+
Long-eared Owl Short-eared Owl	Rare	evergreen forest			-	+	+	-	5.		+				+	-	_		_	+	$\rightarrow$	_			1					9-30	+
	Rare	open pastureland, marshes, meadows			2.1				3	1					+				_	+-+	-				+						
Carolina Wren	Common	wood edges, thickets, near residences			3-1	_	+		_						+				_	+	-				+					9-30 9-30	
Northern Cardinal	Common	edge, brush, parks, suburbs			-12	_	+		_			<u> </u>			<del>                                     </del>				_		_				<u> </u>					9-30	
Black-capped Chickadee	Local	variety of woodland habitats, suburbs					$\bot$		5-	·1																			9-20		$\perp$
Hermit Thrush	Local	damp forests with hemlocks					$\bot$						5-25															9-15			$\perp$
Northern Saw-whet Owl	Rare	mixed, moist woods, with conifers								5-5																	9-10				
Golden-crowned Kinglet	Local	northern coniferous forests										5-20															9-10				$\perp$
Northern Mockingbird	Common	open country, hedgerows, suburbs			4	-1																					9-10	)			
Eastern Meadowlark	Common	hayfields, pastures						4	-25																		9-10				
Blue Jay	Common	variety of woodland habitats, suburbs											5-25														9-5				
Horned Lark	Uncommon	most short-grass areas				4-1	0																				9-5				
Mute Swan	Rare	shore or islands in any water body							5	-1																	8-31				
Hooded Merganser	Rare	wooded swamps, marshes, streams										5-20															8-31				
King Rail	Local	fresh & brackish marshes	ı		一	Ī	T		5-	1																	8-31				
Clapper Rail	Local	salt & brackish marshes			$\dashv$		+		5.																		8-31				+
Common Gallinule	Local	marshes with open water			$\dashv$		1 1					5-20															8-31				$\neg$
American Woodcock	Uncommon	upland forest edges			$\dashv$	$\neg$	4-15					0															8-31	$\vdash$			+
Northern Goshawk	Rare	large mature mixed woodlands		-	$\dashv$		4-15																				8-31	$\vdash$		-	$\dashv$
Yellow-bellied Sapsucker	1			<del></del>	+	+	7 25	_	_			5-20								+	$\rightarrow$						8-31	+	_	<del></del>	_
	Rare	moist woods, swamps, bogs	$\vdash$	-	15							5-20								+	-+						8-31	$\vdash$	$\vdash$		+
Red-bellied Woodpecker	Common	variety of woodland habitats			-15 -15															_	-+						8-31	$\vdash$	$\vdash$	-+	
Downy Woodpecker	Common	variety of woodlands and edge habitats				_	+	_	_		_				+	-	_		_	+	$\rightarrow$	_			1						+
Hairy Woodpecker	Uncommon	deep woods, primarily deciduous			-15	_			_						1				_						1		8-31				
Pileated Woodpecker	Uncommon	deep woods, some secondary growth			-15	_	+					<u> </u>	<del>                                     </del>		<del>                                     </del>				+-	+	$\rightarrow$				<del>                                     </del>		8-31				
Eastern Phoebe	Common	near water, bridges, buildings				_	$\bot$		5	-1									_								8-31				
American Crow	Common	open areas, edges, farms, parks						4-20																			8-31				
Fish Crow	Common	wood edges, farms, tidewater areas								5-10	0																8-31				
Carolina Chickadee	Common	variety of woodland habitats, suburbs			3-1																						8-31				
Tufted Titmouse	Common	variety of woodland habitats, suburbs			3-1																						8-31				
Brown Creeper	Local	deep woods, flooded woods									5-15																8-31				
Winter Wren	Uncommon	moist woods with hemlocks										5-20															8-31				
Sedge Wren	Rare	wet meadows, marshes					1 1								6-10												8-31				
Gray Catbird	Common	dense thickets, shrubs, hedgerows					1 1		$\neg$				5-25		<u> </u>						$\neg$						8-31				
Brown Thrasher	Common	dense thickets, shrubs, hedgerows					1 1				5-15				1												8-31				
Eastern Bluebird	Common	wood edges, farmlands		_	_		<del>+ +</del>		5-	1	1				<del>†                                    </del>	<del></del>	-	_	_		$\rightarrow$	_	_		1		8-31				
House Sparrow	Common	cities, farms, parks, suburbs		2-1					3	1					1				_	_					1		8-31				
Red Crossbill	Rare	mature conifer forests		2-1		-1	+ +	_	_						1				_	_	-				1		8-31				
Pine Siskin	Rare	northern conifers		-	_	-1			_			5-20			+		_		_	+	$\rightarrow$	_			1		8-31				+
	Common				-	_	+ +	_	-	+	+	3-20			_	6-15	_		_	+ +	$\rightarrow$	_	_		1		8-31		_	-+	-
American Goldfinch		brushy fields, edges, hedgerows		_	-	+-	+++	_	_	<del></del>	+				+	0-12	_		_	+	$\rightarrow$	_	_		_			_		<del></del>	
Grasshopper Sparrow	Common	hayfields, grassy pastures				_	+						5-25							$\rightarrow$	_						8-31				
Chipping Sparrow	Common	farms, open mixed woods, suburbs					++		5-							$\longrightarrow$			_	$\rightarrow$							8-31				
Field Sparrow	Common	brushy, weedy fields, hedgerows	$\vdash$		-		+		5	1																	8-31	$\vdash$	$\vdash$		+
Vesper Sparrow	Uncommon	short grass areas, cultivated fields			_		+			+	5-15									$\perp$							8-31	$\vdash$	$\vdash$		+
Henslow's Sparrow	Rare	weedy fields, wet meadows									5-15																8-31				
Eastern Towhee	Common	dry open woodlands, edges, brush										5-20															8-31				
Boat-tailed Grackle	Local	brushy, open woods, near salt water					4-15																				8-31				
Swainson's Warbler	Rare	brushy, moist forest						4-20																			8-31				
Ruddy Duck	Rare	dense marshes with open water													6-10											8-25					
American Coot	Rare	marshes with open water													6-10											8-25					
Northern Flicker	Common	open woods, scattered trees, edges								5-10	0															8-25					$\top$
Marsh Wren	Uncommon	cattail and other tall marshes					$\top$		$\neg$				5-25													8-25					
Gadwall	Uncommon	high ground near water			$\dashv$		+		$\dashv$	1 1	1	5-20													8-20						+
Mallard	Common	high ground near water, often woods			$\dashv$				-	+	5-15														8-20						$\neg$
Turkey Vulture	Common	woods, cliffs, caves, buildings			$\dashv$		1 1		-		5-15														8-20						$\neg$
Red-shouldered Hawk	Common	wet mixed forests, swamps		<del>- +</del>	+	$\overline{}$	<del>+ +</del>	<del></del>	+	5-10											$\rightarrow$				8-20		<del>                                     </del>	+	_	<del>-                                    </del>	$\dashv$
Red-tailed Hawk			<del>                                     </del>	-+	+	+	+	-+	-	5-10											$\rightarrow$						$\vdash$	$\vdash$	$\vdash$	-+	$\dashv$
	Common	mature forests, often near edges	<del>                                     </del>		+	-	+	-+	-	5-10			E 25								$\rightarrow$				8-20		<del>-   -   -  </del>	$\vdash$	$\vdash$		_
Red-headed Woodpecker	Local	open country with scattered trees			+	_	+			+	+	1	5-25	c 1	1					+					8-20		<del> </del>	$\vdash$	$\vdash$		+
Blue-headed Vireo	Local	coniferous or mixed woodlands	<del>                                     </del>		+	-	+		+	+	+	<del>                                     </del>		6-1						+					8-20		<del>-   -   -  </del>	$\vdash$	$\vdash$		+
Wood Thrush	Common	variety of woodland habitats		<u> </u>	<u> </u>		<del>+ +</del>	<u> </u>	<u> </u>	<del>-   -  </del>	+	<u> </u>	5-25		$\vdash$				_			_			8-20		<del></del>	$\vdash$	<u> </u>		
Yellow-rumped Warbler	Uncommon	mature conifer or mixed forests	$\sqcup$				$\perp$			$\perp$				6-1											8-20						
Wood Duck	Common	wooded swamps, marshes, streams						4-20																8-15							
Ring-necked Duck	Rare	shallow wetlands with vegetation	$oxed{oxed}$									5-20												8-15					oxdot		$\perp$
Virginia Rail	Uncommon	fresh & brackish marshes	$ldsymbol{ldsymbol{ldsymbol{\sqcup}}}$									5-20												8-15					I		
Black Rail	Local	brackish marshes	$oxedsymbol{oxedsymbol{oxed}}$		$\perp I$				5	1														8-15	j						
									_																						

January 2020 Page 1 of 4 Pages



Species	Abundance	Preferred Breeding Habitat	Jan	Eob	Mar	4-1 4-1	0 4-15	4-20	4-25	E-1	E_E E_1	0 E-1E	5-20	F-2F 6-1	6-E	6-10 6-15	6-20 6-	OE 7-1 7	-E 7-10	7-15	7-20 7	2E 0	.1 0.	E 9_10 9_1	E 9-2	N 8-2E	E 0-	1 0-5	0-10	0-15 0-	20 Oct	Nov De
Osprey	Common	marshes, tidal water, channel markers	Jan	гер	Mai	4-1 4-1	0 4-15	4-20	4-25	2-1	3-3 3-1	.0 3-13	3-20	6-1		0-10 0-13	0-20 0-	25 /-1 /	-3 /-10	/-13	/-20 /-	25 8	.1 0.	8-10 8-1		0 8-23	<b>3</b> 9	1 9-5	9-10	9-13 9-	20 OCL	NOV DE
Eastern Screech-Owl	Common	open woods, orchards				4-1								0.1									_	8-1				1 1				+
Great Horned Owl	Common	most upland woodland types																						8-1				1 1				12
Barred Owl	Common	bottomlands, swamps, moist woods	1-15																					8-1	.5							
Peregrine Falcon	Local	cliffs, buildings, bridges											5-20											8-1	.5							
Eastern Wood-Pewee	Common	variety of woodland habitats												6-1										8-1								
White-eyed Vireo	Common	brushy areas, often near water												5-25										8-1								
Yellow-throated Vireo	Uncommon	tall deciduous trees				$\vdash$								5-25						$\vdash$	_	_		8-1				+			_	++
White-breasted Nuthatch	Common	variety of woodland habitats, suburbs					_				5-1	10				-			_	-	_	_		8-1			-	+				+
Brown-headed Nuthatch	Local	loblolly pines			3-20														_	+	_	_	+	8-1		<u> </u>	<del>                                     </del>	+			+-	+-+
House Wren	Common	open woods, dead trees, suburbs	_			$\vdash$	+		-		_		5-20						_	+	_	_	_	8-1		-	+	+			_	+
Nashville Warbler Northern Parula	Rare Common	swamp and bog areas					+							5-25 6-1									_	8-1 8-1		-	+	+			_	++
Indigo Bunting	Common	moist woods, bottomlands, spruces ledges, open forests, brush areas				$\vdash$	+			-				5-25					_	+ +			+	8-1		+	+	+	-	_	_	+
Chuck-will's-widow	Uncommon	dry open upland woods					+					5-15		3-23					_	<del>                                     </del>		_	_	8-10	.5			+ +			_	+
Chimney Swift	Common	primarily in towns	<u> </u>			<del>i i</del>	†	<del>i </del>	<del>                                     </del>	<del>- i</del> -	1	5-15				<del>- i - i</del>		<del>-                                     </del>	+	<del>† †</del>	_	$\overline{}$	+	8-10	1	<del>†</del>	<del>†                                      </del>	<del>† †</del>	<del>- i</del>	<del>-  </del> -	<del>-                                    </del>	+
Broad-winged Hawk	Uncommon	hilly woodlands										3 13				6-15							_	8-10				1 1				+
Warbling Vireo	Uncommon	open deciduous or riverside woods												6-1									$\top$	8-10				1 1				
Veery	Uncommon	moist mixed woods														6-10								8-10				1 1				
Purple Finch	Uncommon	mixed woods, parklands, residential												6-1										8-10								
Seaside Sparrow	Local	salt marshes												6-1										8-10								
Saltmarsh Sparrow	Local	salt marshes												6-1										8-10								
Savannah Sparrow	Local	hayfields, wet meadows, pastures													6-5									8-10								
Common Yellowthroat	Common	brushy areas, preferably wet							oxdot					5-25										8-10				$\perp$				$+\!-\!+\!$
Chestnut-sided Warbler	Local	brushy, second-growth, edges	<u> </u>	$oxed{oxed}$		<del></del>		<u> </u>						6-1						$\perp$				8-10		<u> </u>	<u> </u>	$\perp$				
Pine Warbler	Uncommon	variety of pine forests				$\vdash$			4-25															8-10				$\perp \perp$		_		+
Summer Tanager	Local	mixed dry upland woods		$\vdash$		$\vdash$	+		$\vdash$		_			- 0-	6-5									8-10		-	-	+		_	_	$+\!-\!+$
Scarlet Tanager	Common	mature deciduous forests					+							5-25		6.45			_	+	_	_	_	8-10	_		+	+			_	+
Rose-breasted Grosbeak	Local Uncommon	edges of moist deciduous woods					+			-		_			6-5	6-15			_	<del></del>	_	_	_	8-10 8-10	-	+	+	+	-		_	+
Blue Grosbeak		thickets, hedgerows & edges					+			_							_		_	++	_	_	+		-	+	+	+	_	_	+	+-
Dickcissel Pald Fagle	Uncommon Local	open country, especially alfalfa					4-15								6-5				_	<del></del>	_	_	8-	8-10	-	+	+	+	-		_	+
Bald Eagle Acadian Flycatcher	Common	tall trees near lakes, marshes, rivers moist woods, bottomlands	_				4-13							5-25					_	+ +		_	8-		-	+	+	+			_	+
Yellow-breasted Chat	Common	brushy fields, thickets, wood edges	_				+			<del> </del>				5-25					_	<del>                                     </del>	_	_	8-				+	+ +		_	_	+-+
Ovenbird	Common	open, mature, mixed upland forest											5-20										8-					1 1				+
Cerulean Warbler	Uncommon	mature moist or riverside forests	i			i i	1		i					5-25						<del>i i</del>			8-		1	i	1	<del>i i</del>	i		<u> </u>	
Magnolia Warbler	Uncommon	northern coniferous forests														6-10							8-					1 1				+
Black-throated Blue Warbler	Local	mixed woods with heavy understory													6-5								8-					1 1				
Black-throated Green Warbler	Local	northern coniferous or mixed woods														6-10							8-					1 1				
Canada Goose	Common	shore or islands in any water body									5-1	LO										7-3	31									
American Black Duck	Uncommon	high ground near water, often woods											5-20									7-3	31						T			T = T
Common Merganser	Rare	mature trees near lakes and rivers											5-20									7-3	31									
Eurasian Collared-Dove	Rare	cities, suburbs, farms												6-1								7-3										
Yellow-billed Cuckoo	Common	variety of forest habitats, edges														6-15						7-3						$\perp$				$\bot$
Sora	Local	fresh marshes, wet meadows												6-1								7-3										
Purple Gallinule	Rare	shrubby swamps								$\bot$							6-20					7-3						$oxedsymbol{oxedsymbol{\square}}$	$\Box$			$+$ $\Box$
Brown Pelican	Local	shrubby marsh island												6-1						$\vdash$		7-3					_	+				+-+
Least Bittern	Uncommon	fresh & brackish water marshes		$oxed{oxed}$		oxdot			oxdot				5-20									7-3		+	_			$\perp \perp$		_		$+\!-\!+$
Black Vulture	Common	woods, cliffs, caves, buildings	<u> </u>	$\vdash$		$\vdash$	+		$\vdash$	5-1						- 10						7-3		+		+	+	+	-+			$+\!-\!+$
Mississippi Kite	Rare	riparian forests with nearby open areas		<u> </u>		<del></del>	+						<u> </u>			6-10				-		7-3		<del>+ + -</del>	<del>-</del>	<u> </u>	+-	+		<u> </u>	<del>_</del>	<del></del>
Sharp-shinned Hawk	Uncommon	conifers in extensive woodlands	<u> </u>	$\vdash$		$\vdash$	+		$\vdash$		_			6-1								7-3		+		_	+	+	-+			$+\!-\!+$
Cooper's Hawk	Uncommon	mixed woodlands, groves	$\vdash$	$\vdash$		$\vdash$	+	-	$\vdash$	-+	-	_	5-20									7-3		+	-	+	+	+	-+	-+	+	+-+
Monk Parakeet Great Crested Flycatcher	Rare Common	urban, suburban, city parks variety of woodland habitats	$\vdash$	$\vdash$		$\vdash$	+	<del>                                     </del>	$\vdash$		-	+	<b>-</b>	5-25								7-3		+	+	+	+	+	-+		_	+-+
Red-eyed Vireo	Common	variety of woodland habitats	$\vdash$	$\vdash$		$\vdash$	+		$\vdash$	-+	_		<b> </b>	6-1								7-3		+ +	+	+	+	+	-+		+	+-+
Common Raven	Uncommon	mountainous, remote regions				4-1	+							0.1					+-		-	7-3		++-	+	+	+	+ +	+	<del></del>	+	+++
Blue-gray Gnatcatcher	Common	woodlands near streams	$\vdash$	$\vdash$		4-1						5-15										7-3		+ +	-	-	+	+	-+			+
European Starling	Common	open areas with trees nearby				4-1						3-13										7-3		+ +	1	+	+	+ +				+
American Robin	Common	everywhere, except very urban areas								5-1												7-3		1 1	1			$\dagger$				+
Cedar Waxwing	Uncommon	open woodland, shade trees, streams														6-15						7-3										
Clay-colored Sparrow	Rare	scrubby open areas							T T	T				6-1								7-3		T	ì			T	T	T	Ť	$\top$
Dark-eyed Junco	Local	edges of northern mixed woods												6-1								7-3	31									
White-throated Sparrow	Rare	brushy openings														6-10						7-3										
Song Sparrow	Common	brushy fields, marsh edges, suburbs								5-1												7-3										
Swamp Sparrow	Local	marshes, wet brushy areas, bogs								<u></u> T				6-1								7-3						<u></u>				
Mourning Warbler	Rare	brushy areas in woodlands or edges														6-15						7-3										
Blackburnian Warbler	Uncommon	northern coniferous or mixed woods				$\vdash$	_									6-10						7-3	31	$\perp$			$\perp$	$\perp \perp$				+
	II ocal	sandy ocean beaches, fresh spoil	ı	ıl		1 1	1	I	ıl			5-15									7-	25		1 1	1	1		1 1	- 1			
American Oystercatcher Northern Harrier	Local Rare	marshes, wet pastures & meadows	_	<del>                                     </del>					$\overline{}$				5-20									25					_	_				

January 2020 Page 2 of 4 Pages



S	lahdan.ar	D. C. and D. and D. Halling		F. L	114		4 40	1445	4 20	4.05	- 4		- 40  - 1		0 5 0 5		5 6 4 9 6 4 5			-1 - 41 - 1	-1 - 40	1 - 4-1	7 20	7.05			0.40 0.45					0.10	0.45	0.2010		
Species Baltimore Oriole	Abundance Common	Preferred Breeding Habitat shade trees, open deciduous woods	Jan	Feb	Mar	4-1	4-10	4-15	4-20	4-25	5-1	5-5	5-10 5-	15 5-2		6-1 6-	5 6-10 6-15	6-20	6-25	5 /-1 /-:	7-10	/-15	/-20	7-25		8-5	8-10 8-15	8-20	8-25	9-1	9-5	9-10	9-15	9-20 0	t N	ov Dec
Black-and-white Warbler	Uncommon	extensive deciduous or mixed woods	t	<del>1</del>	t	+	<u> </u>	<del>†                                      </del>	<del>i</del>	<u> </u>	<del>i i</del>	1	5-:	15		<del></del>	1	<del>                                     </del>	<del>†                                      </del>		<del>†                                      </del>			7-25					†	<del>                                     </del>	<del>†                                     </del>		<del>                                     </del>		$\overline{}$	<del>- i</del>
Hooded Warbler	Uncommon	moist forests with dense understory				+									5-25				1		1			7-25							T					
Mourning Dove	Common	suburbs, woodlots, farmland						4-15															7-20													
Black-billed Cuckoo	Rare	variety of forest habitats, edges																6-20	)				7-20													
Ruby-throated Hummingbird	Common	open woodlands, edges	<u> </u>	<u> </u>	<u> </u>			<u> </u>	<u> </u>		<del>                                     </del>		5-:					<u> </u>	₩		<del></del>		7-20			<u> </u>			<u> </u>		<u> </u>		<u> </u>			
Piping Plover Belted Kinafisher	Local	sandy ocean beaches	_		-	+	4 10						5-:	L5				-	-		-		7-20					-	-				-		_	
Alder Flycatcher	Uncommon Local	along streams or lakes with banks wet brushy areas, prefers alders	_		-	+	4-10	1									6-10		-		+		7-20 7-20						<del> </del>						_	_
Willow Flycatcher	Common	wet to fairly dry brushy areas				+		1			+		_	+	+ +		6-10	<del>                                     </del>	+		1		7-20						1						_	
Least Flycatcher	Local	wood edges, open deciduous woods												1		6-							7-20						1							
Loggerhead Shrike	Rare	open country, hedgerows, cedars	İ		İ	T		i i			i		5-10										7-20			İ	İ		i		İ				T	i
Red-breasted Nuthatch	Local	coniferous or mixed woods														6-1							7-20													
Worm-eating Warbler	Uncommon	deep deciduous woods			_	$\perp$					$\vdash$			5-2									7-20								$\perp$				_	
Golden-winged Warbler	Rare	damp, brushy fields, wood edges	-		-	+		-			$\vdash$		_	-	5-25			-	-		+		7-20			-			-		-		-	_	_	
Blue-winged Warbler	Uncommon	brushy fields, wood edges	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+		<del>                                     </del>	<u> </u>	<u> </u>	<del>   </del>		- 10	+	5-25			<del>                                     </del>	+-		+		7-20						<del>                                     </del>	<u> </u>	<del>                                     </del>				<del>-</del>	
Prothonotary Warbler American Redstart	Uncommon Uncommon	swamps, bottomlands moist, deciduous forest	_		+	+		+	-		$\vdash$		5-10				6-10	-	+		+		7-20 7-20			-		-	1		+		-	_	-+	
Prairie Warbler	Common	brushy fields, edges, small pines		1		+		1						+	5-25		0-10	<del>                                     </del>	+		1		7-20						1						_	
Common Nighthawk	Uncommon	barren country and flat roofs														6-	5					7-15														
Eastern Whip-poor-will	Uncommon	dry open upland woods											5-10									7-15														
Black-necked Stilt	Uncommon	edges of salt/sewage ponds, wetlands											5-:	L5								7-15														
Wilson's Snipe	Rare	marshy edges of ponds, streams	$\perp$		$\perp$	$\perp$		$\perp$								6-1						7-15								$\perp$	lacksquare				$\perp \Gamma$	
Green Heron	Common	woods near marshes or open water	_		-	+		_			5-1		-					-	-			7-15							1		_				_	
American Kestrel House Finch	Common Common	open country, scattered trees, edge residential, especially evergreens	-		+	+		_			5-1		5-:	15		_	+	_	+	_	+	7-15 7-15	-			-			1	-	+		-	_	-	_
Northern Waterthrush	Rare		+	<u> </u>	<del>                                     </del>	+	<u> </u>	<del>                                     </del>	<u> </u> 	<u> </u> 	3-1			_		6-		<del>                                     </del>	+		+	7-15	+				l I	<u> </u>	<del>†                                      </del>		+		<del>                                     </del>	-	+	<del>-                                    </del>
Kentucky Warbler	Uncommon	swamps and bogs, pond edges moist deciduous woods, understory			_	+		_			$\vdash$		_	_	5-25	0-	-	_	+		_	7-15							1		+			_	-	
Yellow-throated Warbler	Uncommon	loblolly pines, sycamores				$\top$					5-1											7-15														
Canada Warbler	Uncommon	thick, moist forest undergrowth															6-10					7-15														
Pied-billed Grebe	Rare	marshy or weedy ponds												5-2	20						7-10															
Laughing Gull	Local	salt marshes														6-					7-10															
Herring Gull Great Black-backed Gull	Local Local	beaches, coastal islands, spoil areas beaches, coastal islands, spoil areas	_		-	+		-	-		$\vdash$		-	-	-	6-		-	-		7-10	$\vdash$							-				-		_	
American Bittern	Rare	tall marshes, wet fields	_		-	+		-			$\vdash$				_	6-1	<del>}                                    </del>				7-10								+				1		_	
Red-winged Blackbird	Common	marshes, ponds, meadows, hayfields			<del>                                     </del>	+					5-1					<u> </u>			1		7-10								1		<b>†</b>					
Brown-headed Cowbird	Common	leverywhere, except urban areas	<del>i -</del>	1	i	i		i	i	İ	5-1			i				i –	i		7-10		i			İ	i i	i	i	İ	<del>i </del>		i	i	T	i
Louisiana Waterthrush	Common	rocky streams, sluggish backwaters									5-1										7-10															
Yellow Warbler	Common	wet brushy areas, farmlands														6-1					7-10															
Gull-billed Tern	Local	beaches, coastal islands			-	+					$\vdash$		5-:	L5			-		-	7-5		$\vdash$				_			1		_				_	
Least Tern	Local	beaches, coastal islands, spoil areas	<del>                                     </del>	<u> </u>	<u> </u>	+	<u> </u>	<del>                                     </del>	<del>                                     </del>	<u> </u>	<del>   </del>			-	5-25			<del>                                     </del>	+	7-5		<del>                                     </del>				<u> </u>			+	<u> </u>	<del>                                     </del>		<del>                                     </del>		<u> </u>	<u> </u>
Royal Tern Black Skimmer	Local Local	beaches, coastal islands, spoil areas beaches, coastal islands	-	1	-	+		-	-		$\vdash$		-	-	5-25 5-25		+	-	+	7-5		$\vdash$							1		+		-		_	
Eastern Kingbird	Common	open areas, edges, often near water			<del>                                     </del>	+		1			+		-	-	5-25			<del>                                     </del>	+	7-5									1		1				_	
Orchard Oriole	Common	edges, hedgerows, scattered trees														6-1		1		7-5									1							
Blue-winged Teal	Rare	high ground near water														6-	5			7-5																
Green-winged Teal	Rare	high ground near water														6-1				6-30																
Spotted Sandpiper	Local	beaches or rocky streams			_	$\perp$											6-10			6-30	1														_	
Willet Common Tern	Local Local	salt marshes	_		-	+		_			$\vdash$			_			6-10	-	-	6-30		$\vdash$							1		_				_	
Double-crested Cormorant	Local	beaches, coastal islands, spoil areas treed islands	_		_	+		1			$\vdash$		_	+		6-	6-10	-	+	6-30	+	+							+		+		_	_	_	
Great Blue Heron	Local	wooded swamps, beaver ponds, islands	<del>†                                      </del>	1	<del>†                                      </del>	+		<del>                                     </del>		<u> </u>	<del>   </del>	_	5-:	15			0-10	<del>                                     </del>	<del>1</del>	6-30	<del>†                                      </del>	+ +	_						<del>†                                      </del>	<del>                                     </del>	<del>†                                      </del>		<del>                                     </del>		_	
Snowy Egret	Local	shrubs, trees near tidal water			<del>                                     </del>	+							J	5-2	20		_		1	6-30	1		_						1						_	
Tricolored Heron	Local	shrubs, trees near tidal water												5-2						6-30									1							
Black-crowned Night-Heron	Local	shrubs, trees near tidal water											5-10							6-30																
Yellow-crowned Night-Heron	Local	wooded habitats, usually near water				$\perp$		<u> </u>	4-20											6-30																
Glossy Ibis	Local	shrubs, trees near tidal water	1	1	_	+		_			$\sqcup$			_	$\perp$	6-1				6-30	1	$\vdash$				_			<u> </u>		lacksquare		_		_	
		fields, meadows, pastures	_		-	+		4 15								6-	5	-	-	6-30	-	$\vdash$							-				-		_	
Bobolink	Uncommon	cuburbs formland		1		$\perp$		4-15											6 2	6-30	+	<del>   </del>	-			$\vdash$		-	+	<del>                                     </del>	+	_	<del>                                     </del>	$\vdash$	+	
Bobolink Common Grackle	Common	suburbs, farmland			1			1	4-20										6-25		+	+			i				1	1	1				- 1	
Bobolink Common Grackle Killdeer	Common Common	most open, sparsely vegetated areas			├	+						l l		5-6	201				1 0-2																	
Bobolink Common Grackle Killdeer Upland Sandpiper	Common Common Rare	most open, sparsely vegetated areas open grasslands & meadows											5-1	5-2	20		1 1 -		6-25		<del>i                                     </del>	+													+	
Bobolink Common Grackle Killdeer Upland Sandpiper Forster's Tern	Common Common Rare Local	most open, sparsely vegetated areas open grasslands & meadows salt marshes										+	5-:			6-1			6-25	5																
Bobolink Common Grackle Killdeer Upland Sandpiper	Common Common Rare	most open, sparsely vegetated areas open grasslands & meadows											5-:			6-1			6-25 6-25 6-25	5																
Bobolink Common Grackle Killdeer Upland Sandpiper Forster's Tern Purple Martin Tree Swallow Barn Swallow	Common Common Rare Local Common Uncommon Common	most open, sparsely vegetated areas open grasslands & meadows salt marshes open country, colonial open country near water open country near buildings, bridges											5-:			6-1			6-25 6-25 6-25	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5																
Bobolink Common Grackle Killdeer Upland Sandpiper Forster's Tern Purple Martin Tree Swallow Barn Swallow Cliff Swallow	Common Rare Local Common Uncommon Common Local	most open, sparsely vegetated areas open grasslands & meadows salt marshes open country, colonial open country near water open country near buildings, bridges open country near buildings, bridges											5-:	1.5	5-25 5-25	6-1			6-25 6-25 6-25 6-25	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5																
Bobolink Common Grackle Killdeer Upland Sandpiper Forster's Tern Purple Martin Tree Swallow Barn Swallow Ciff Swallow Great Egret	Common Common Rare Local Common Uncommon Common Local Local	most open, sparsely vegetated areas open grasslands & meadows salt marshes open country, colonial open country near water open country near buildings, bridges open country near buildings, bridges shrubs, trees near tidal water											5-:	5-2	5-25 5-25			6-20	6-25 6-25 6-25 6-25	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5																
Bobolink Common Grackle Killdeer Upland Sandpiper Forster's Tern Purple Martin Tree Swallow Barn Swallow Cliff Swallow	Common Rare Local Common Uncommon Common Local	most open, sparsely vegetated areas open grasslands & meadows salt marshes open country, colonial open country near water open country near buildings, bridges open country near buildings, bridges											5-:	1.5	5-25 5-25 20			6-20 6-20 6-20	6-25 6-25 6-25 6-25	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5																

January 2020 Page 3 of 4 Pages



## Maryland & DC Breeding Bird Atlas 3 Safe Dates

Species	Abundance	Preferred Breeding Habitat	Jan	Feb	Mar	4-1 4-	10 4-1	5 4-20	4-25	5-1	5-5	5-10 5-15	5-20	5-25	6-1 6	-5 6-	10 6-1	5 6-2	0 6-2	5 7-1	J 7-	5 7-10	7-15	7-20	7-25	8-1	8-5	8-10 8-15	8-20	8-25	9-1 9	-5 9-1	0 9-1	5 9-20	Oct	Nov De	С
N. Rough-winged Swallow	Uncommon	near water with steep banks												5-25				6-2	0																		
Bank Swallow	Uncommon	near water with steep banks, colonial													6-1			6-2	0																	$\perp$	
White Ibis	No nest records	shrubs, trees near tidal water											5-20				6-1	5																			

January 2020 Page 4 of 4 Pages